


WHAT IS CLAIMED IS:

1 (Canceled). A compound of Formula I



or a pharmaceutically acceptable salt or prodrug thereof, where

L¹ is selected from

- (1) a covalent bond,
- (2) -C(O)NR⁵(CH₂)_m-, where m is an integer from 0 to 4, and

R⁵ is selected from

(a) hydrogen

and

(b) alkyl,

and

- (3) -N(R⁵)C(O)(CH₂)_m-,

where (2) and (3) are drawn with their left ends attached to **R¹**;

R¹ is selected from

- (1) alkyl,

- (2) alkyl substituted with 1, 2, or 3 substituents selected from

(a) -NO₂

- (b) -NR⁶R⁷ where R⁶ and R⁷ are independently selected from

(i) hydrogen,

(ii) alkyl,

(iii) arylalkyl,

(iv) an amino protecting group,

(v) alkanoyl, where the alkanoyl can be optionally substituted with -OR⁹,

(vi) (aryl)oyl,

(vii) alkoxycarbonyl,

and

(viii) (heteroaryl)oyl,

and

- (c) alkoxycarbonyl,
 - (3) aryl substituted with 1, 2, 3, 4, or 5 substituents independently selected from
 - (a) $-NR^6R^7$,
 - (b) alkyl,and
 - (c) alkyl substituted with 1, 2, or 3 substituents selected from $-NR^6R^7$,
 - (4) $-NR^6R^7$,
- and
- (5) $-OR^9$;

R² and **R³** are selected from

- (1) hydrogen
- (2) $-(CH_2)_nC(O)R^8$ where n is an integer from 0 to 4, and

R⁸ is selected from

- (a) $-OR^9$ where **R⁹** is selected from

- (i) hydrogen,

- (ii) alkyl,

- and

- (iii) alkyl substituted with 1 or 2 substituents selected from the group consisting of aryl

and

- (b) $-NR^5R^{10}$ where **R⁵** is defined previously, and **R¹⁰** is selected from

- (i) hydrogen,

- (ii) alkyl,

- (iii) alkyl substituted with 1, 2, or 3 substituents independently selected from

- (1') $-CO_2R^9$

- and

- (2') $-C(O)NR^6R^7$

- (iv) aryl, and

- (v) arylalkyl,

where (iv) and (v) can be optionally substituted with 1, 2, 3, 4, or 5 substituents

independently selected from

- (1') alkyl,

- (2') alkanoyl,

(3') -OR⁹,
(4') -CO₂R⁹,
(5') alkanoyloxy,
(6') carboxaldehyde,
(7') cycloalkyl,
(8') cycloalkenyl,
(9') halo,
(10') nitro,
(11') perfluoroalkyl,
(12') perfluoroalkoxy,
(13') -NR⁶R⁷,
(14') -SO₂NR⁶R⁷,
(15') -C(O)NR⁶R⁷,
(16') aryloxy,
and
(17') aryl,
and

(3) aryl, wherein the aryl is optionally substituted with 1, 2, or 3 substituents independently

selected from

(a) -NR⁶R⁷

and

(b) -CO₂R⁹,

provided that at least one of **R**² and **R**³ is other than hydrogen;

R⁴ is selected from

(1) hydrogen,

(2) alkyl,

(3) cycloalkyl,

(4) -CO₂R⁵,

(5) aryl,

and

(6) aryl substituted with at least one of W, X, Y, or Z where W, X, Y, and Z are


independently selected from

(a) alkyl,

(b) alkanoyl,

- (c) -OR⁹,
- (d) -CO₂R⁹,
- (e) alkanoyloxy,
- (f) carboxaldehyde,
- (g) cycloalkyl,
- (h) cycloalkenyl,
- (i) halo,
- (j) nitro,
- (k) perfluoroalkyl,
- (l) perfluoroalkoxy,
- (m) -NR⁶R⁷,
- (n) -SO₂NR⁶R⁷,
- (o) -C(O)NR⁶R⁷,
- (p) aryloxy,
- and
- (q) aryl.

2 (Canceled). A compound according to claim 1 of Formula **II**



where **R³** is hydrogen.

3 (Canceled). A compound according to claim 2 where **R⁴** is hydrogen.

4 (Canceled). A compound according to claim 3 selected from the group consisting of
N-[4-[N-(acetylglycyl)amino]benzoyl]-L-aspartic acid,
N-[4-[(7-amino-1-oxoheptyl)amino]benzoyl]-L-aspartic acid,
(S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]benzoyl]-L- α -asparagine,
N-[(4-aminophenyl)acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
(S)-N-[[4-[[2-amino-6-[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid,

(S)-N-[[4-[[2-(acetylamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid,
N-[2-[[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]phenyl]-1-oxoethyl]-L-aspartic acid,
(S)-N-[[4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
(S)-N-[[4-[(2,6-diamino-1-oxohexyl)amino]phenyl]acetyl]-L-aspartic acid,
(S)-ethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetate,
(S)-4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetic acid,
(4S)-4-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-5-(methylamino)-5-oxopentanoic acid,
4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)benzoic acid,
(3S)-3-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-4-amino-4-oxobutanoic acid, and
methyl 4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-benzoate.


5 (Canceled). A compound according to claim 2 where **R⁴** is aryl.

6 (Canceled). A compound according to claim 5 selected from the group consisting of

4-[[4-(aminomethyl)benzoyl]amino]-2-phenylbenzoic acid,
(S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-phenylbenzoyl]-L- α -asparagine,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(2-hydroxyphenyl)(1,1'-biphenyl)-2-carboxamide,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(3-hydroxyphenyl)(1,1'-biphenyl)-2-carboxamide,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-hydroxyphenyl)(1,1'-biphenyl)-2-carboxamide,
methyl 5-(((2S)-6-amino-2-(((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-biphenyl)-2-carboxylate,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-carboxylic acid,
(2S)-2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-

yl)carbonyl)amino)butanedioic acid,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-(aminosulfonyl)phenethyl)(1,1'-biphenyl)-2-carboxamide,
ethyl 2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoate,
ethyl 3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoate,
ethyl 4-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoate,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-(aminosulfonyl)benzyl)(1,1'-biphenyl)-2-carboxamide,
2-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
3-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
4-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid, and
4-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid.

7 (Currently Amended). A compound ~~according to claim 2~~ of Formula III



or a pharmaceutically acceptable salt or prodrug thereof, where

L¹ is selected from

(1) a covalent bond,

(2) -C(O)NR⁵(CH₂)_m-, where m is an integer from 0 to 4, and

R⁵ is selected from

(a) hydrogen

and

(b) alkyl,

and

(3) -N(R⁵)C(O)(CH₂)_m-,

where (2) and (3) are drawn with their left ends attached to R¹;

R¹ is selected from

(1) alkyl,

(2) alkyl substituted with 1, 2, or 3 substituents selected from

(a) -NO₂

(b) -NR⁶R⁷ where R⁶ and R⁷ are independently selected from

(i) hydrogen,

(ii) alkyl,

(iii) arylalkyl,

(iv) an amino protecting group,

(v) alkanoyl, where the alkanoyl can be optionally substituted with -OR⁹,

(vi) (aryl)oyl,

(vii) alkoxycarbonyl,

and

(viii) (heteroaryl)oyl,

and

(c) alkoxycarbonyl,

(3) aryl substituted with 1, 2, 3, 4, or 5 substituents independently selected from

(a) -NR⁶R⁷,

(b) alkyl,

and

(c) alkyl substituted with 1, 2, or 3 substituents selected from -NR⁶R⁷,

(4) -NR⁶R⁷,

and

(5) -OR⁹;

R² and R³ are selected from

(1) hydrogen

(2) -(CH₂)_nC(O)R⁸ where n is an integer from 0 to 4, and

R⁸ is selected from

(a) -OR⁹ where R⁹ is selected from

(i) hydrogen,

(ii) alkyl,

and

(iii) alkyl substituted with 1 or 2 substituents selected from the group
consisting of aryl

and

(b) -NR⁵R¹⁰ where R⁵ is defined previously, and R¹⁰ is selected from

(i) hydrogen,

(ii) alkyl,

(iii) alkyl substituted with 1, 2, or 3 substituents independently
selected from

(1') -CO₂R⁹

and

(2') -C(O)NR⁶R⁷

(iv) aryl, and

(v) arylalkyl,

where (iv) and (v) can be optionally substituted with 1, 2, 3, 4, or 5
substituents

independently selected from

(1') alkyl,

(2') alkanoyl,

(3') -OR⁹,

(4') -CO₂R⁹,

(5') alkanoyloxy,

(6') carboxaldehyde,

(7') cycloalkyl,

(8') cycloalkenyl,

(9') halo,

(10') nitro,

(11') perfluoroalkyl,

(12') perfluoroalkoxy,

(13') -NR⁶R⁷,

(14') -SO₂NR⁶R⁷,

(15') -C(O)NR⁶R⁷,

(16') aryloxy,

and

(17') aryl,

and

(3) aryl, wherein the aryl is optionally substituted with 1, 2, or 3 substituents independently

selected from

(a) -NR⁶R⁷

and

(b) -CO₂R⁹,

provided that at least one of R² and R³ is other than hydrogen;

and W is selected from

(a) alkyl,

(b) alkanoyl,

(c) -OR⁹,

(d) -CO₂R⁹,

(e) alkanoyloxy,

(f) carboxaldehyde,

(g) cycloalkyl,

(h) cycloalkenyl,

(i) halo,

(j) nitro,

(k) perfluoroalkyl,

(l) perfluoroalkoxy,

(m) -NR⁶R⁷,

(n) -SO₂NR⁶R⁷,

(o) -C(O)NR⁶R⁷,

(p) aryloxy,

and

(q) aryl.

8 (Original). A compound according to claim 7 selected from the group consisting of

(S)-methyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-
[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-
(phenylmethoxy)phenyl]benzoate,

(S)-1,1-dimethylethyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-
[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-
(phenylmethoxy)phenyl]benzoate,

(R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-
oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,

(S)-methyl 4-[[2-amino-6-[[[(phenylmethoxy)carbonyl]amino]-1-
oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl] benzoate,

(S)-methyl 4-[[2-(acetlamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-
oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl] benzoate,

(S)-1,1-dimethylethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-
oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,

(S)-methyl 4-[[2-(acetlamino)-6-amino-1-oxohexyl]amino]-2-(3-
hydroxyphenyl)benzoate,

(S)-4-[[2-(acetlamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoic
acid,

(S)-N-[4-[[2-(acetlamino)-6-amino-1-oxohexyl]amino]-2-(3-
hydroxyphenyl)benzoyl]-L- α -asparagine,

tert-butyl (3S)-3-(((5-(((2S)-2-(acetlamino)-6-aminohexanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoate,

5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-carboxylic acid,

methyl 5-(((2S)-2,6-diaminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-
carboxylate,

5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-carboxylic acid,

methyl 5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-carboxylate,

5-(((2S)-6-amino-2-(benzoylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-
carboxylic acid,

5-(((2S)-6-amino-2-((methoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-
biphenyl)-2-carboxylic acid,

methyl 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-

biphenyl)-2-carboxylate,

5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-((3-pyridinylcarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,


5-((6-aminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

5-(((2S)-5-amino-2-((*tert*-butoxycarbonyl)amino)pentanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid, and

5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-(methylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid.

9 (Currently Amended). A compound according to claim 7 of Formula IV




10 (Original). A compound according to claim 9 selected from

(R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(2-hydroxyphenyl)benzoate,

methyl 5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-carboxylate, and

(3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoic acid.

11 (Canceled). A compound according to claim 1 of Formula V



where R^2 is hydrogen.

- 12 (Canceled). A compound according to claim 11 selected from the group consisting of
(S)-methyl 3-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,
(S)-methyl 3-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,
(S)-3-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoic acid, and
methyl 3-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4-cyclohexylbenzoate.
- 13 (Canceled). A compound according to claim 2, wherein R^2 is hydrogen.
- 14 (Canceled). A compound according to claim 13, which is
4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-2-chlorobenzoic acid.
- 15 (Canceled). A method of treating a patient in need of anti-angiogenesis therapy comprising
administering to the patient a therapeutically effective amount of a compound according to claim 1.
- 16 (Canceled). A method of treating a patient in need of anti-angiogenesis therapy comprising
administering to the patient a therapeutically effective amount of a compound according to claim 1.
- 17 (Canceled). A compound according to claim 1 selected from the group consisting of

N-[4-[N-(acetylglycyl)amino]benzoyl]-L-aspartic acid,
4-[[4-(aminomethyl)benzoyl]amino]-2-phenylbenzoic acid monohydrochloride,
N-[4-[(7-amino-1-oxoheptyl)amino]benzoyl]-L-aspartic acid,
(S)-methyl 3-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,
(S)-methyl 3-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoate,
(S)-3-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-4-(1,1-dimethylethyl)benzoic acid,
(S)-methyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-(phenylmethoxy)phenyl]benzoate,
(S)-1,1-dimethylethyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-(phenylmethoxy)phenyl]benzoate,
(R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,
(R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(2-hydroxyphenyl)benzoate,
(S)-methyl 4-[[2-amino-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl)] benzoate,
(S)-methyl 4-[[2-(acetylamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl)] benzoate,
(S)-1,1-dimethylethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,
(S)-methyl 4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,
(S)-4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoic acid,
(S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoyl]-L- α -asparagine,
(S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-phenylbenzoyl]-L- α -asparagine,
(S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]benzoyl]-L- α -asparagine,

N-[(4-aminophenyl)acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
(S)-N-[[4-[[2-amino-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid, trifluoroacetate salt,
(S)-N-[[4-[[2-(acetylamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid,
N-[2-[[4-[2-(acetylamino)-6-amino-1-oxohexyl]amino]phenyl]-1-oxoethyl]-L-aspartic acid,
(S)-N-[[4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]phenyl]acetyl]-L-aspartic acid, bis(1,1-dimethylethyl) ester,
(S)-N-[[4-[(2,6-diamino-1-oxohexyl)amino]phenyl]acetyl]-L-aspartic acid,
(S)-ethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetate monohydrochloride,
(S)-4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]benzeneacetic acid monohydrochloride,
methyl 5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-carboxylate,
(3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoic acid,
methyl 3-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4-cyclohexylbenzoate,
tert-butyl (3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoate,
5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
methyl 5-(((2S)-2,6-diaminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,
5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
methyl 5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,
5-(((2S)-6-amino-2-(benzoylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
5-(((2S)-6-amino-2-((methoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
(4S)-4-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-5-

(methylamino)-5-oxopentanoic acid,
4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)benzoic acid,
(3S)-3-((4-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)benzoyl)amino)-4-
amino-4-oxobutanoic acid,
methyl 4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-
benzoate,
methyl 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-
biphenyl)-2-carboxylate,
4-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-2-
chlorobenzoic acid,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(2-hydroxyphenyl)(1,1'-
biphenyl)-2-carboxamide,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(3-hydroxyphenyl)(1,1'-
biphenyl)-2-carboxamide,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-hydroxyphenyl)(1,1'-
biphenyl)-2-carboxamide,
methyl 5-(((2S)-6-amino-2-(((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-
biphenyl)-2-carboxylate,
5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-((3-
pyridinylcarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-carboxylic
acid,
5-((6-aminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,
5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-
biphenyl)-2-carboxylic acid,
5-(((2S)-5-amino-2-((*tert*-butoxycarbonyl)amino)pentanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-carboxylic acid,
(2S)-2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)butanedioic acid,
5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-(methylamino)hexanoyl)amino)-3'-
hydroxy(1,1'-biphenyl)-2-carboxylic acid,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-
(aminosulfonyl)phenethyl)(1,1'-biphenyl)-2-carboxamide,
ethyl 2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-
yl)carbonyl)amino)benzoate,
ethyl 3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-

yl)carbonyl)amino)benzoate,
ethyl 4-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoate,
5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-N-(4-(aminosulfonyl)benzyl)(1,1'-biphenyl)-2-carboxamide,
2-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)-amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
3-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
4-(((5-(((2S)-2-(acetylamino)-6-(((benzyloxy)carbonyl)amino)hexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
2-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid,
3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid, and
4-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)(1,1'-biphenyl)-2-yl)carbonyl)amino)benzoic acid.